

# MSA Latchways® 3 m PFL

Personal Fall Limiter – Impressive innovation in a compact size


**LATCHWAYS**  
FALL PROTECTION






## Available Connectors

The MSA Latchways PFL is supplied with a choice of steel or aluminium top carabiner and has a range of connectors available.




### Forged Steel Snaphook

- High-tensile steel material
- Zinc-plated finish
- EN, ANSI and CSA compliant



### Carabiner/Hook

- Triple-locking gate
- Aluminium alloy
- EN, ANSI and CSA compliant




### Aluminium Scaffold Hook

- Aluminium alloy
- EN, ANSI and CSA compliant




### Aluminium Snaphook

- Lightweight
- EN compliant




### Forged Steel Swivel Snaphook

- Double-action/self-locking gate
- High-tensile steel material
- Zinc-plated finish
- EN, ANSI and CSA compliant




### Swivel Carabiner/Hook

- Triple-locking gate
- Aluminium alloy
- EN, ANSI and CSA compliant



### Steel Scaffold Hook

- High-tensile steel material
- Zinc-plated finish
- EN, ANSI and CSA compliant



### Aluminium hook

- Aluminium alloy
- Black anodized
- Lightweight

## Standards



The Latchways PFL has a highly durable polycarbonate, clear casing which allows for easy visual inspection of the critical internal components. It can withstand temperatures ranging from  $-40^{\circ}$  to  $+54^{\circ}\text{C}$  and its high-performing, high-strength webbing lifeline has been manufactured to the highest standard in accordance to Latchways' strict quality-control procedures. The product has been tested to meet these relevant standards:

- EN360: 2002
- ANSI Z359.14 – 2012
- OSHA 1910.66
- OSHA 1926.502
- CSA Z259.2.2-98

## Ordering Information Single-Leg 3 m PFL

Part No.	Single-Leg	Webbing	Cable	Length	Anchorage connection	Harness connection
63013-00AEU	■	■		3 m	Aluminium scaffold hook	Steel carabiner
63013-00BEU	■	■		3 m	Steel snaphook	Steel carabiner
63013-00CEU	■	■		3 m	Aluminium swivel carabiner	Steel carabiner
63013-00DEU (1)	■	■		3 m	Aluminium carabiner	Steel carabiner
63013-00EEU	■	■		3 m	Steel swivel hook	Steel carabiner
63013-00FEU	■	■		3 m	Steel scaffold hook	Steel carabiner
63013-00GEU	■	■		3 m	Aluminium scaffold hook	–
63013-00HEU	■	■		3 m	Steel snaphook	–
63013-00IEU	■	■		3 m	Aluminium swivel carabiner	–
63013-00JEU	■	■		3 m	Aluminium carabiner	–
63013-00KEU	■	■		3 m	Steel swivel hook	–
63013-00LEU	■	■		3 m	Steel scaffold hook	–
63013-00MEU	■	■		3 m	Aluminium scaffold hook	Aluminium carabiner
63013-00NEU	■	■		3 m	Aluminium carabiner	Aluminium carabiner
63013-00OEU	■	■		3 m	Steel snaphook	Steel scaffold hook
63013-00PEU	■	■		3 m	Aluminium carabiner	Aluminium scaffold hook
63013-00REU	■	■		3 m	Aluminium snaphook	–
63013-00SEU	■	■		3 m	Aluminium rebar lightweight hook	Steel carabiner
63013-00TEU	■	■		3 m	Aluminium rebar lightweight hook	Aluminium carabiner triple locking captive pin
63013-00UEU	■	■		3 m	Aluminium rebar lightweight hook	–
63203-00AEU	■		■	3 m	Steel swivel hook	Steel carabiner
63203-00BEU (2)	■		■	3 m	Steel swivel scaffold hook	Steel carabiner
63203-00CEU	■		■	3 m	Steel swivel hook	–
63203-00DEU	■		■	3 m	Steel swivel hook	Aluminium scaffold hook

Part No.	
63900-04 (3)	TwinLink Connector for PFL



### Your direct contact

Great Britain  
Hopton Park, Devizes  
Wiltshire, SN10 2JP  
United Kingdom  
Phone +44 (0)800 066 2222  
info.gb@MSAsafety.com